

ಫ್ಯಾಕ್ಸ್ / Fax : 080-25586321

ಈಮೇಲ್ / Email : ho@kspcb.gov.in

ವೆಬ್‌ಸೈಟ್ / Website : http://kspcb.gov.in



080-255813-83, 25589112
080-255891 13, 25589114

ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಾಲಿನ್ಯ ನಿಯಂತ್ರಣ ಮಂಡಳಿ
Karnataka State Pollution Control Board

"ಪರಿಸರ ಭವನ", 1 ರಿಂದ 5ನೇ ಮಹಡಿಗಳು, ನಂ. 49, ಚರ್ಚ್ ಸ್ಟ್ರೀಟ್, ಬೆಂಗಳೂರು - 560 001, ಕರ್ನಾಟಕ ರಾಜ್ಯ, ಭಾರತ

"Parisara Bhavan", 1st to 5th Floor, # 49, Church Street, Bangalore - 560 001, Karnataka State, India

No. PCB/ WMC/357 /MSW/2020-21 / 1663

Date: 19 JUL 2021

DIRECTION UNDER SECTION 5 OF THE ENVIRONMENT (PROTECTION) ACT, 1986.

ಆಜ್ಞಾಪಿಸಲಾಗಿದೆ

Sub: Non-compliance to Solid Waste Management (SWM) Rules 2016, by Municipal Solid Waste (MSW) disposal facility located at Bellahali in the jurisdiction of Yelahanka- reg

Ref:1.Proceedings of meeting conducting with joint commissioners of the Bruhat Bengaluru Mahanagara Palike (BBMP) by Hon'ble Justice Sri. Subhash B Adi The Chairman, NGT, SLC, to review Compliance as per the directions under the NGT OA number 600/2018 held on 20.01.2021

2.Inspection of MSW disposal facility located at Bellahali (Quarry) by the Environmental Officer, Bengaluru North on 17-03-2021

Whereas,as per section A (D) (iii) of Schedule I of SWM Rules 2016, Provisions for management of leachate including its collection and treatment shall be made. The treated leachate shall be recycled or utilized as permitted, otherwise shall be released into the sewerage system, after meeting the standards specified in Schedule- II.. In no case, leachate shall be released into open environment.

And whereas, as per section A (D) (iv) of Schedule I of SWM Rules 2016,Arrangement shall be made to prevent leachate runoff from landfill area entering any drain, stream, river, lake or pond. In case of mixing of runoff water with leachate or solid waste, the entire mixed water shall be treated by the concern authority.

And whereas,in the meeting cited in ref. (1) BBMP was directed to take immediate action to install leachate treatment plants in all the waste processing plants or land fill sites and action plan for same be submitted within 30 days.

And whereas, in said meeting BBMP was directed to achieve 100% segregation ward wise by 31.03.2021 and shall submit an action plan within seven days from the date of receipt of this resolution.

And whereas, in the said meeting BBMP was directed to take immediate action to install Global Positioning System (GPS) to all waste carrying vehicles and shall give the API of vehicle to the Karnataka State Pollution Control Board(KSPCB) for monitoring vehicles in the command and control centre and also to make geo-fencing to avoid illegal dumping etc.,

And whereas,in the said meeting BBMP was directed to take action to notify the vehicles for carrying construction and demolition (C&D) waste in the media by giving public notice and shall take action against vehicles carrying C&D waste illegally.